

# SWIMMING POOL REGULATIONS

POOL TYPE	DIMENSIONS	POOL PERMIT	BARRIER	POOL ALARM	DOOR ALARM	ELECTRICAL	FINAL INSPECTION
Inflatable Above Ground	24" to 47" high	\$25 pool permit	Required for <b>ALL</b> pools.	<b>ASTM F2208</b> pool alarm is <b>required</b>	Required if direct access to pool from any building.	Proper electric and inspection required. Extension Cords are <b>NOT</b> allowed.	Required by Code Officer before using pool.
		Pool location 6 ft. from lot lines					
Inflatable Above Ground	48" high & over	\$25 pool permit	Required for <b>ALL inflatable</b> pools. Not required for other pool types.	<b>ASTM F2208</b> pool alarm is <b>required</b>	Required if direct access to pool from any building.	Proper electric and inspection required. Extension Cords are <b>NOT</b> allowed.	Required by Code Officer before using pool.
		Pool location 6 ft. from lot lines					
In-ground	Any size	\$25 pool permit	Required for in-ground pools.	<b>ASTM F2208</b> pool alarm is <b>required</b>	Required if direct access to pool from any building.	Proper electric and inspection required.	Required by Code Officer before using pool.
		Pool location 6 ft. from lot lines					
Fill in - inground pool	Any size	\$25 permit					Required by Code Officer
Hot tubs and Spas	Any size	\$25 pool permit	Not required if safety cover complies with ASTM F1346 (2003) safety standards	Not required if safety cover complies with <b>ASTM F1346</b> (2003) safety standards	Required if direct access from any building.	Proper electric and inspection required. Extension Cords are <b>NOT</b> allowed.	Required by Code Officer before using.
		Spa location 6 ft. from lot lines					
Decks	Permit Required	\$.10 sq ft Minimum \$30	Discuss with Code Officer		Discuss with Code Officer		Required by Code Officer

**Pool** - above ground, in-ground, inflatable or blow-up, hot tubs, spas, and fixed in place wading pools.

**Barrier** - a fence, wall, building, or combination thereof which completely surrounds the pool and obstructs access to the pool.

**Barrier requirements** – must be of rigid material, constructed to prevent climbing, not allow passage of children and have self-closing and self-latching gates. Minimum 4 ft. high. Maximum 6 ft. high. \$25.00 Permit for fence barrier. **ALL** inflatable pools, regardless of size, are required to have permanent rigid barriers.

**Barrier not required** if pool walls are 48 inches above ground and of **rigid** material. If pool is less than 48 inches high, barrier can be placed on top of pool to make up difference but must be **rigid** material.