

SWIMMING POOL REGULATIONS

POOL TYPE	DIMENSIONS	POOL PERMIT	BARRIER	POOL ALARM	DOOR ALARM	ELECTRICAL	FINAL INSPECTION
Above Ground	24" to 47" high	\$50 pool permit	Required for ALL pools.	ASTM F2208 pool alarm is required	Required if direct access to pool from any building.	Proper electric and inspection required. Extension Cords are NOT allowed.	Required by Code Officer before using pool.
		Pool location 6 ft. from lot lines					
Above Ground	48" high & over	\$50 pool permit	Required for ALL inflatable pools. Not required for other pool types.	ASTM F2208 pool alarm is required	Required if direct access to pool from any building.	Proper electric and inspection required. Extension Cords are NOT allowed.	Required by Code Officer before using pool.
		Pool location 6 ft. from lot lines					
In-ground	Any size	\$50 pool permit	Required for in-ground pools.	ASTM F2208 pool alarm is required	Required if direct access to pool from any building.	Proper electric and inspection required.	Required by Code Officer before using pool.
		Pool location 6 ft. from lot lines					
Fill in - inground pool	Any size	\$50 permit					Required by Code Officer
Hot tubs and Spas	Any size	\$50 pool permit	Not required if safety cover complies with ASTM F1346 (2003) safety standards	Not required if safety cover complies with ASTM F1346 (2003) safety standards	Required if direct access from any building.	Proper electric and inspection required. Extension Cords are NOT allowed.	Required by Code Officer before using.
		Spa location 6 ft. from lot lines					
Decks	Permit Required	\$.15 sq ft Minimum \$50	Discuss with Code Officer		Discuss with Code Officer		Required by Code Officer

Pool - above ground, in-ground, inflatable or blow-up, hot tubs, spas, and fixed in place wading pools.

Barrier - a fence, wall, building, or combination thereof which completely surrounds the pool and obstructs access to the pool.

Barrier requirements – must be of rigid material, constructed to prevent climbing, not allow passage of children and have self-closing and self-latching gates. Minimum 4 ft. high. Maximum 6 ft. high. \$30.00 Permit for fence barrier. **ALL** inflatable pools, regardless of size, are required to have permanent rigid barriers.

Barrier not required if pool walls are 48 inches above ground and of **rigid** material. If pool is less than 48 inches high, barrier can be placed on top of pool to make up difference but must be **rigid** material.